ACUITY - dba AMREP 125 BUTTERMILL AVENUE, CONCORD, ONTARIO L4K 3X5 CANADA 1-800-267-1578

PRODUCT: B60101/B60201 KONK TOO (500G, 680G) PCP#24436

SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURED FOR: MANUFACTURER

Acuity... dba Amrep 125 Buttermill Avenue Concord, Ontario L4K 3X5 Canada

PRODUCT NAME..... B60101/B60201 KONK TOO (500G, 680G) PCP#24436

CHEMICAL FAMILY...... HYDROCARBONS. MOLECULAR WEIGHT..... NOT APPLICABLE.

CHEMICAL FORMULA..... MIXTURE. TRADE NAMES & SYNONYMS
RECOMMENDED PRODUCT USES.....

INSECTICIDE. FORMULA/LAB BOOK #...... 99-4179.

SECTION 02: HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION..... NOT ASSESSED. SIGNAL WORD..... NOT ASSESSED. HAZARD STATEMENTS NOT ASSESSED. PRECAUTIONARY STATEMENTS..... NOT ASSESSED. OTHER HAZARDS..... NOT ASSESSED.

SECTION 03: COMPOSITION/INFORMATION INGREDIENTS						
HAZARDOUS INGREDIENTS	CAS#	WT. %				
ISOBUTANE	75-28-5	10-30				
ALIPHATIC PETROLEUM DISTILLATES	64742-47-8	5-10				
PIPERONYL BUTOXIDE	51-03-6	4.0				
PROPANE	74-98-6	7-13				
PYRETHRINS	8003-34-7	0.500				

SECTION 04: FIRST AID MEASURES

IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR EMERGENCY FIRST AID PROCEDURE

AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH

THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED; DO NOT INDUCE

VOMITING, GET MEDICAL ATTENTION.

SECTION 05: FIRE FIGHTING MEASURES

FLAMMABILITY..... CAUTION-FLAMMABLE.

IF YES, UNDER WHICH CONDITIONS?.....

EXCESSIVE HEAT, SPARKS AND OPEN FLAME.
WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS SPECIAL PROCEDURES.....

TO PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES. FULL PROTECTIVE EQUIPMENT INCLUDING SELF CONTAINED BREATHING

APPARTATUS SHOULD BE WORN IN A FIRE INVOLVING THIS MATERIAL.

EXPLOSION DATA

SENSITIVITY TO STATIC DISCHARGE. SENSITIVITY TO IMPACT..... NOT APPLICABLE. NOT APPLICABLE

EXTINGUISHING MEDIA..... WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

HAZARDOUS COMBUSTION

PRODUCTS..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE.

AEROSOL FLAME PROJECTION

CLASSIFIED AS:..... 0-15cm. FLASHBACK...... NONE.



PRODUCT: B60101/B60201 KONK TOO (500G, 680G) PCP#24436

SECTION 06: ACCIDENTAL RELEASE MEASURES

NON-SPARKING TOOLS. VENTILATE AREA. PREVENT FROM ENTERING A

WATERCOURSE.

SECTION 07: HANDLING AND STORAGE

STORAGE NEEDS...... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.

ENGINEERING CONTROLS...... VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS

BASIS)

HANDLING PROCEDURES AND STORÉ IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C.

EQUIPMENT

SYNERGISTIC MATERIALS...... NONE KNOWN.

SECTION 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

	ACGIH	I TLV	OSHA	PEL		NIOSH
INGREDIENTS	TWA	STEL	PEL	STEL	REL	

ISOBUTANE NOT AVAILABLE

ALIPHATIC 300 ppm

PETROLEUM

DISTILLATES

PIPERONYL BUTOXIDE NOT AVAILABLE PROPANE 1000 ppm
PYRETHRINS 5 mg/m3

EYE/TYPE...... SAFETY GLASSES

FOOTWEAR/TYPE......NOT NORMALLY REQUIRED.

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE...... AEROSOL. APPEARANCE...... YELLOW EMULSION. ODOR..... PYRETHRIN. ODOR THRESHOLD...... NOT AVAILABLE. 8-9. (CONCENTRATE) ÈVAPORATION RATE...... GREATER THAN 1. n-BUTYL ACETATE = 1 UPPER FLAMMABLE LIMIT...... 9.5. (% BY VOLUME) LOWER FLAMMABLE LIMIT...... 0.6. (% BY VOLUME) VAPOUR PRESSURE(PSIG)-AEROSOL..... 60-70. @ 20 C VAPOUR DENSITY (AIR=1)..... GREATER THAN 1. (BY WEIGHT) AEROSOL PERCENT VOLATILE...... 87-88. (BY WEIGHT)

PRODUCT: B60101/B60201 KONK TOO (500G, 680G) PCP#24436

SECTION 10: STABILITY AND REACTIVITY

HAZARDOUS PRODUCTS OF

DECOMPOSITION..... HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION

IS INCOMPLETE.

CHEMICAL STABILITY:

UNDER NORMAL CONDITIONS.

NO, WHICH CONDITIONS?.... NOT APPLICABLE.

COMPATIBILITY WITH OTHER

SUBSTANCES:

..... STRONG OXIDIZING AGENTS.

HAZARDOUS POLYMERIZATION...... WILL NOT OCCUR.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS		LC50	LD50	
ISOBUTANE		142,500 ppm (4h) RAT - INHAL	NOT AVAILABLE	
ALIPHATIC PETROLEUM DISTILLATES		NOT AVAILABLE	>5000 mg/kg ORAL-RAT	
PIPERONYL BUTOXIDE		>5.9 mg/l	4.6 g/kg ORAL-RAT	
PROPANE		NOT AVAILABLE	>5000 mg/kg DERMAL-RABBITS	
PYRETHRINS		NOT AVAILABLE	1680 mg/kg ORAL - RAT	
ROUTE OF EXPOSURE: INHALATION	. INHALATION OF SOLVENTS MAY CAUSE IRRITATION. PROPELLANT IS A SIMPLE ASPHYXIANT.			
INGESTION EYE CONTACT SKIN CONTACT	MAY CAUSE IRRITAT MAY CAUSE IRRITAT	=	/EAKNESS.	

SKIN ABSORPTION..... NO DATA AVAILABLE FOR THIS PRODUCT MIXTURE. EFFECTS OF ACUTE EXPOSURE..... DIZZINESS, NAUSEA. IRRITATION TO SKIN & EYES. EFFECTS OF CHRONIC EXPOSURE...... SOLVENTS MAY CAUSE DEFATTING DERMATITIS

IRRITANCY OF MATERIAL.... SKIN/EYE IRRITANT.

THE INGREDIENTS OF THIS PRODUCT ARE NOT LISTED AS CARCINOGENS BY CARCINOGENICITY OF MATERIAL..... NTP, (NATIONAL TOXICOLOGY PROGRAM), NOT REGULATED AS CARCINOGENS

BY ÓSHA, (OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION), AND HAVE NOT BEEN EVALUATED BY IARC, (INTERNATIONAL AGENCY FOR RESEARCH ON CANCER), NOR BY ACGIH (AMERICAN CONFERENCE OF GOVERNMENTAL

INDUSTRIAL HYGIENISTS)

MUTAGENICITY..... NO INFORMATION IS AVAILABLE AND NO ADVERSE MUTAGENIC EFFECTS ARE ANTICIPATED.

NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC EFFECTS ARE

ANTICIPATED. REPRODUCTIVE EFFECTS..... NO INFORMATION IS AVAILABLE AND NO ADVERSE REPRODUCTIVE EFFECTS ARE

ANTICIPATED.

SENSITIZING CAPABILITY OF MATERIAL. UNKNOWN.

TERATOGENICITY.....

SECTION 12: ECOLOGICAL CONSIDERATIONS

ENVIRONMENTAL..... NOT AVAILABLE.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL..... DO NOT PUNCTURE OR INCINERATE CONTAINERS. EVEN WHEN EMPTY. DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS.

SECTION 14: TRANSPORTATION INFORMATION

T.D.G. CLASSIFICATION..... CONSUMER COMMODITY.

SECTION 15: REGULATORY INFORMATION

WHMIS1988 CLASSIFICATION..... NOT APPLICABLE. CNFC SECTION 3.3.5..... LEVEL 1. HMIS RATING HEALTH...... 2 MODERATE HAZARD. HMIS RATING FLAMMABILITY...... 1 SLIGHT HAZARD. HMIS RATING REACTIVITY...... 0 MINIMAL HAZARD.



PRODUCT: B60101/B60201 KONK TOO (500G, 680G) PCP#24436

SECTION 15: REGULATORY INFORMATION

NFPA CODE 30B..... LEVEL 1.

THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES SUBJECT TO THE SARA 313 INFORMATION:.... REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:

. (PIPERONYL BUTOXIDE - C.A.S.# 51-03-6: 5.0% w/w).

SECTION 16: OTHER INFORMATION

NOTICE FROM K-G SPRAY- PAK INC THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET IS PROVIDED BY K-G

SPRAY PAK INC. FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE, IT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK. K-G SPRAY PAK INC. ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN

ANY PROCESS.

PREPARED BY..... Regulatory Affairs PREPARATION DATE DEC 22/2016