



LED A19-A21

8.8A19/PER/930/P/E26/DIM 6/1FB T20

Philips A19/A21 LED lamps are the smart alternative to standard incandescent. The unique lamp design provides omni-directional light with excellent dimming performance.

Product data

| General Information | |
|------------------------|------------------------------------|
| Cap-Base | E26 [Single Contact Medium Screw] |
| EU RoHS compliant | Yes |
| Nominal Lifetime (Nom) | 15000 h |
| Switching Cycle | 50000X |
| Technical Type | 8.8-60W |

| Light Technical | |
|---------------------------------------|---------------------|
| Color Code | 930 [CCT of 3000K] |
| Beam Angle (Nom) | 250° |
| Luminous Flux (Nom) | 800 lm |
| Color Designation | White (WH) |
| Correlated Color Temperature (Nom) | 3000 K |
| Luminous Efficacy (rated) (Nom) | 90.00 lm/W |
| Color Consistency | <4 |
| Color Rendering Index (Nom) | 90 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % |

| Operating and Electrical | |
|--------------------------|-------|
| Input Frequency | 60 Hz |
| Power (Nom) | 8.8 W |
| Lamp Current (Nom) | 80 mA |
| Wattage Equivalent | 60 W |
| Starting Time (Nom) | 0.5 s |

| | |
|---------------------------------|-------|
| Warm Up Time to 60% Light (Nom) | 0.5 s |
| Power Factor (Nom) | 0.7 |
| Voltage (Nom) | 120 V |

| Temperature | |
|----------------------|-------|
| T-Case Maximum (Nom) | 90 °C |

| Controls and Dimming | |
|----------------------|-----|
| Dimmable | Yes |

| Mechanical and Housing | |
|------------------------|---------|
| Bulb Finish | Frosted |


| Approval and Application | |
|-------------------------------|----------------|
| Energy Efficiency Label (EEL) | Not applicable |
| Energy Consumption kWh/1000 h | - kWh |

| Product Data | |
|---------------------------------|------------------------------------|
| Order product name | 8.8A19/PER/930/P/E26/DIM 6/1FB T20 |
| EAN/UPC - Product | 046677550448 |
| Order code | 929002036204 |
| Numerator - Quantity Per Pack | 1 |
| Numerator - Packs per outer box | 6 |
| Material Nr. (12NC) | 929002036204 |

LED A19-A21

Net Weight (Piece) 0.060 kg



Dimensional drawing



Bulb A19 120V 8.8-60W 800lm 3000K E26 D

| Product | D | C |
|------------------------------------|---------|----------|
| 8.8A19/PER/930/P/E26/DIM 6/1FB T20 | 62.5 mm | 111.5 mm |


Photometric data



General Lighting Lighting

40 60 75 100W E26 A19 A21 Frosted


60W E26 A19 930 Frosted



60W E26 A19 930 Frosted

LED A19-A21

Lifetime



15K LED

15K LMP

