

2019-7075
2020-07-28

**Knock Down Max Flying Insect Killer
(1.0 Pyrethrins from Chrysanthemum Flower Pyrethrum)**

Metered pressurized spray for the control of flies, gnats and mosquitoes

USE AREAS: refer to side panels

DO NOT use in dwellings (for example houses, apartments) or in rooms attached to dwellings (for example garage, basement), schools, daycare centers, hospital wards, guest rooms of hotels, motels, and resorts, or any area where children may spend more than 4 hours in a day.

COMMERCIAL ACTIVE

INGREDIENT

Pyrethrins	0.975 %
Piperonyl Butoxide	1.950 %
N-octyl bicycloheptene dicarboximide	3.210 %

REGISTRATION NO. 28584 *PEST CONTROL PRODUCTS ACT*

READ THE LABEL BEFORE USING

WARNING

FLAMMABLE EXPLOSIVE

For BVT metered Dispenser and J-Hook

NET CONTENTS ___g

Proudly made in Canada

KUUS INC.

Unit 5 & 6

450 Tapscott Road

Scarborough, ON M1B 1Y4

www.knockdownbugs.com www.mosquitoshield.com

Optional Statement: Botanical Insecticide “Pyrethrum”

This insecticide is for use only in an automatic aerosol dispenser which releases 55 mg. of insecticide every 15 minutes or which releases 27.5 mg of insecticide every 7-1/2 minutes. The continuous use of this insecticide will reduce flying insect populations (flies, mosquitoes and gnats) within a few hours. One can protect a room up to 170 cubic metres for up to 30 days.

USE AREAS: Restaurants, Food Plants, Hospitals, Food Service Establishments, Lodges, Resorts, Dairies, Horse Stables, Cow Barns and Poultry Houses while they are in operation. Also for use in Meat Processing Plants when not in operation. Use area must have at least 170 cubic metres of free flow air space.

DIRECTIONS FOR USE: Dispenser must be located 2-3 metres above the floor at a point where air circulation will carry particles throughout the area. Do not install directly over food or food packaging surfaces. To install can, remove protective cap and insert into dispenser.

RESTRICTIONS FOR ALL USES :

- Application on livestock intended for food production is prohibited.
- Remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatment.
- **DO NOT** apply when a food/feed processing facility is in operation.
- When applying to overhead areas or in confined spaces, wear appropriate respiratory and eye protection.
- Ventilate treated areas after application either by opening windows and doors or through use of air exchange/ventilation systems confirmed to be operational. Use fans where required to aid in the circulation of air.
- **DO NOT** apply when people or pets or livestock are present.
- **DO NOT** remain in treated areas after application.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. **DO NOT** use in dwellings (for example houses, apartments) or in rooms attached to dwellings (for example garage, basement), schools, daycare centers, hospital wards, guest rooms of hotels, motels, and resorts, or any area where children may spend more than 4 hours in a day. Contents under pressure. Container may explode if heated. Do not expose to temperatures above 50° C. Do not puncture or incinerate. Do not contaminate food, feed or water. Do not spray over milk or milking equipment. Avoid contact with skin and inhalation of spray mist. Wash after using. Contents are toxic to fish and birds. Do not install directly over polished, plastic, or varnished surfaces. Do not use in nurseries or rooms where infants, ill or aged persons are confined.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer or the provincial regulatory agency in case of a spill and for clean-up of spills.

FIRST AID TREATMENT: If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice.

2019-7075
2020-07-28

Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on this label. It is an offense under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.